

*Value Added Tax (Exemption) (Establishment of Lpg Processing and Bulk Storage Facility Project) (M/S Oilcom (T) Limited) Order*

---

GOVERNMENT NOTICE NO. 374 published on 17/5/2024

THE VALUE ADDED TAX ACT,  
(CAP. 148)

—————  
**ORDER**  
—————

*(Made under section 6)*

THE VALUE ADDED TAX (EXEMPTION) (ESTABLISHMENT OF LPG PROCESSING AND BULK STORAGE FACILITY PROJECT) (M/S OILCOM (T) LIMITED) ORDER, 2024

- |            |  |
|------------|--|
| Citation   | 1. This Order may be cited as the Value Added Tax (Exemption) (Establishment of LPG Processing and Bulk Storage Facility Project) (M/S Oilcom (T) Limited) Order, 2024.  |
| Exemption  | 2. Subject to the conditions specified in paragraph 3 of this Order, and any other conditions as may be specified by the Commissioner General of Tanzania Revenue Authority, the whole of the value added tax payable on the goods or services specified in the Schedule to this Order, imported or purchased prior to clearance through customs by or on behalf of M/S Oilcom (T) Limited to be used in the establishment of LPG processing and bulk storage facility project is hereby exempt. |
| Conditions | 3. The exemption granted under this Order shall cease to have effect and the value added tax shall become due and be payable as if this exemption had not been made if the said goods or services are used for other purposes or sold or disposed of in any way to another person not entitled to enjoy similar privileges as are conferred under this Order.  |

*Value Added Tax (Exemption) (Establishment of Lpg Processing and Bulk Storage Facility Project) (M/S Oilcom (T) Limited) Order*

*GN. No. 374 (Contd)*

Expiry

4. This Order shall expire on 10<sup>th</sup> day of May, 2025 and may be extended in accordance with the performance agreement between M/S Oilcom (T) Limited and the Tanzania Investment Centre on behalf of Government of Tanzania dated 23<sup>rd</sup> June, 2023.

SCHEDULE

*(Made under paragraph 2)*

| A - CAPITAL/DEEMED CAPITAL GOODS LIST |            |                       |   |                 |          |
|---------------------------------------|------------|-----------------------|---|-----------------|----------|
| No:                                   | HS CODE    | ITEM NAME             | MODEL/SPECIFICATION   | UNIT OF MEASURE | QUANTITY |
| 1                                     | 7208.90.00 | Tank Steel Plates     | SA 537 Class 2 of Steel for LPG Mounded Tanks to store 3750 MT of LPG Storage Tank with Design pressure of 17.5 Bar. 13.3 Meter Internal Diameter as per ASME Sec VIII Div 2 Design | MT              | 6500     |
| 2                                     | 7307.99.00 | Tank Steel Fittings   | Supply of Flanges, Fittings, Nozzle Pipes + Other Hardware Material for LPG Mounded Tanks   | MT              | 80       |
| 3                                     | 8515.39.00 | Welding Machines      | Welding Machines (400 amp, 600 amp and 1000 amp) along with Panel and Cabling 200 m each for the Tank Fabrication   | NMB             | 50       |
| 4                                     | 7308.40.00 | Scaffolding Equipment | Scaffolding Pipes along with required number of Clamps  | MT              | 250      |
| 5                                     | 8463.20.00 | Plate Roller          | Rolling Machines for the Plate Rolling Machine, 75mm Thick x 3 m wide   | NMB             | 1        |

*Value Added Tax (Exemption) (Establishment of Lpg Processing and Bulk Storage Facility Project) (M/S Oilcom (T) Limited) Order*

*GN. No. 374 (Contd)*

|    |                |  |   |     |    |
|----|----------------|--|---|-----|----|
| 6  | 8424.2<br>0.00 | Painting Machines                        | Airless Epoxy Painting Machines   | NMB | 3  |
| 7  | 9031.8<br>0.00 | Corrossion Protection System             | Impressed Current Cathodic Protection system with a Design Life of 50 Years and Working Life of 30 Years. With Anodeflex 5000 Anodes. Duly Certified by NACE IV Level Technician. With Monolithic Joints for Flange Isolation for all the Bullets   | SET | 5  |
| 8  | 9026.8<br>0.00 | Tank Safety Fittings                     | Number Servo Level Guage + One Number of Radar Level Guage + Temp and Pressure Transmitter + Temp and Pressure Guage + Safety Valves.   | SET | 4  |
| 9  | 8523.8<br>0.10 | Tank Monitoring Fittings                 | Complete Inventory Management Software TFMS system of with Provision to Control Incoming and Outgoing Material status   | SET | 4  |
| 10 | 8481.8<br>0.00 | Remote Operated Valves Set For Each Tank | Storage Tank Liquid Outlet Nozzle (1 Nos Each Bullet) at the Bottom, 12" NB<br>Storage Tank Liquid Inlet Nozzle (2 Nos Each Bullet) at the Top, 12" NB<br>Storage Tank Vapour Inlet and Outlet (1 Nos Each Bullet) at the Top, 4" NB<br>Storage Tank Liquid Return Line (1 Nos Each Bullet) at the Top, 4" NB | SET | 4  |
| 11 | 8413.7<br>0.00 | LPG Pumps                                | Road Tanker Multistage Loading Pumps  | NMB | 10 |
| 12 | 8414.8<br>0.99 | LPG Compressor                           | Tanker Unloading/Evacuation Compressor  | NMB | 5  |

*Value Added Tax (Exemption) (Establishment of Lpg Processing and Bulk Storage Facility Project) (M/S Oilcom (T) Limited) Order*

*GN. No. 374 (Contd)*

|    |                |                                    |   |     |     |
|----|----------------|------------------------------------|---|-----|-----|
| 13 | 8428.9<br>0.00 | 3" Tanker Loading Arm Equipment    | Each Set will consist of below;<br>- QCDC Coupling<br>- BreakAway Coupling<br>- Swivel Type Loading Arm of 3" Liquid and 2" NB Vapour line<br>- Sight Flow Glass for Liquid Line<br>- NRV for Liquid Line<br>- Necessary Ball Valves and Other safety Fittings<br>- Mass Flow Meter :-<br>- Tanker Liquid Loading Line 1 Nos- 3" NB<br>- Tanker Vapour Loading/Unloading line 1 Nos – 2" NB | SET | 9   |
| 14 | 8428.9<br>0.00 | Batch Controllers                  | Batch Controller System for Tanker Loading system with Auto Cut off system and complete MIS   | SET | 1   |
| 15 | 8481.8<br>0.00 | Ball Valves                        | Fire Safe Ball Valves of Class 300 (Various Sizes from 14 Inch to 1/2 Inch)   | NMB | 250 |
| 16 | 7307.9<br>9.00 | Pipe Fittings                      | SS304 U-Clamps + SS304 Gaskets + Earthing Copper Jumper   | MT  | 10  |
| 17 | 7307.9<br>9.00 | Carbon Steel Pipes                 | Interconnecting LPG Product Piping of ASA 106 Gr B Sch 40/80  | MT  | 250 |
| 18 | 8413.8<br>1.00 | Firefighting Pumpset               | Fire Water Engine Complete Set with Engine + Pump + Battery + Heat Exchanger + Fuel tank + Stack  | NMB | 5   |
| 19 | 8413.8<br>1.00 | Fire Pump Jockey Pump              | Fire fighting Jockey Pump of 40 cum per Hr 80 Meter Head  | NMB | 5   |
| 20 | 7308.9<br>0.99 | Water Tank Steel Plates & Profiles | Prefabricated Fire Water Tank - SA 36 Gr B / Q275R Steel  | MT  | 200 |
| 21 | 8424.1<br>0.00 | Fire Extinguishers                 | Fire Extinguisher 10 Kg Capacity (DCP +   | NMB | 40  |

*Value Added Tax (Exemption) (Establishment of Lpg Processing and Bulk Storage Facility Project) (M/S Oilcom (T) Limited) Order*

*GN. No. 374 (Contd)*

|    |                |                                  | ABC)  |     |      |
|----|----------------|----------------------------------|---|-----|------|
| 22 | 8481.8<br>0.00 | Fire Hydrants                    | Fire Hydrant with hose and Hose Box, 63mm Nozzle with 1800LPM Water Flow Rates  | NMB | 20   |
| 23 | 8424.2<br>0.00 | Fire Monitors                    | Fire Monitors 63mm, UL Approved   | NMB | 20   |
| 24 | 7307.9<br>9.00 | Water Hydrant Pipe               | Galvanised ERW (API 5L) Pipe Thick. Hydrant of Piping (Various sizes from 1 1/2 inch to 24 Inch)  | MT  | 200  |
| 25 | 8424.2<br>0.00 | Steel Structure Sprinklers       | Medium Velocity Sprinkler Nozzle (Model K22 with 120 Deg), UL approved System for Sphere + LPG Pump room + LPG Tanker Loading Shed + LPG Cylinder Filling Shed. | NMB | 1000 |
| 26 | 8424.2<br>0.00 | Jetty Piping Sprinklers          | Medium Velocity Sprinkler Nozzle System for LPG Jetty and piping  | NMB | 100  |
| 27 | 8481.8<br>0.00 | Tank Deluge System               | Deluge Valve system for Tank Sprinkler with Low and High Pressure Switch system. Dry Type Gong 80 NB  | NMB | 4    |
| 28 | 8481.8<br>0.00 | Filling Shed Deluge System       | Deluge Valve system for Filling Shed with Low and High Pressure Switch system. Dry Type Gong, 80 NB   | NMB | 6    |
| 29 | 8481.8<br>0.00 | Pump Shed Deluge System          | Deluge Valve system for Pump Shed with Low and High Pressure Switch system. Dry Type Gong , 80 NB   | NMB | 6    |
| 30 | 8481.8<br>0.00 | Tanker Loading Bay Deluge System | Deluge Valve system for tanker loading with Low & High Pressure Switch system. Dry Type Gong , 80 NB  | NMB | 6    |
| 31 | 8504.2<br>2.00 | Transformers                     | Electrical Transformer 2000 KVA and Sub-station   | NMB | 1    |

*Value Added Tax (Exemption) (Establishment of Lpg Processing and Bulk Storage Facility Project) (M/S Oilcom (T) Limited) Order*

*GN. No. 374 (Contd)*

|    |                |                      |  |     |    |
|----|----------------|----------------------|--|-----|----|
| 32 | 8502.1<br>3.00 | Generator            | Diesel Generator<br>500KVA   | NMB | 2  |
| 33 | 8502.1<br>1.00 | Generator            | Diesel Generator<br>60KVA  | NMB | 2  |
| 34 | 8502.1<br>3.00 | Generator            | Diesel Generator 1000<br>KVA   | NMB | 2  |
| 35 | 8502.1<br>2.00 | Generator            | Diesel Generator<br>100KVA   | NMB | 2  |
| 36 | 9405.4<br>0.00 | Perimeter Lights     | Lighting System-Well<br>Head Lamps,<br>Flameproof Enclosed,<br>40W LED Light | NMB | 72 |
| 37 | 9405.4<br>0.00 | Lighting Poles       | Lighting System- High<br>Mast  | NMB | 6  |
| 38 | 8535.4<br>0.00 | Lightning Protection | Lightning Arrestor, 60<br>m radius with Pole                                 | NMB | 6  |
| 39 | 8535.9<br>0.00 | Earthing System      | Static Earthing +<br>Electrical Equipment<br>Earthing                        | SET | 1  |
| 40 | 8537.1<br>0.00 | Electrical Panel     | Power Factor Control<br>Panel.   | NMB | 5  |
| 41 | 8537.1<br>0.00 | Electrical Panel     | PMCC (Process Motor<br>Control Centre)                                       | NMB | 5  |
| 42 | 8537.1<br>0.00 | Electrical Panel     | Process Distribution<br>Board  | NMB | 5  |
| 43 | 8537.1<br>0.00 | Electrical Panel     | Light Distribution<br>Board.   | NMB | 5  |
| 44 | 8537.2<br>0.00 | UPS                  | UPS Panel 10 KVA.<br>Minimum.( With<br>Battery Bank )                        | NMB | 5  |
| 45 | 8537.1<br>0.00 | Electrical Panel     | Programmable Logic<br>Controller Panel                                       | NMB | 5  |
| 46 | 8471.3<br>0.00 | Electrical Panel     | Operator station As<br>HMI ( Computer with<br>Hard Disc and A4<br>Printer.)  | NMB | 5  |
| 47 | 8536.5<br>0.00 | Switches             | Flame Proof ON/OFF<br>Switches   | NMB | 50 |
| 48 | 8536.9<br>0.00 | Junction Boxes       | Fire Proof Type FLP<br>Junction Box  | NMB | 10 |
| 49 | 9031.9<br>0.00 | Leak Detectors       | Infra Red Type ( 30<br>Nos of Sensors),<br>Honeywell USA                     | NMB | 30 |
| 50 | 8414.8<br>0.10 | Air Compressors      | Screw Type Air<br>Compressors With<br>Receiver Tanks                         | NMB | 3  |
| 51 | 8481.8<br>0.00 | Pipe Safety Fittings | Thermal Stress Relief<br>Valves  | NMB | 20 |
| 52 | 8481.8         | Pipe Safety Fittings | Pressure Guages  | NMB | 50 |

*Value Added Tax (Exemption) (Establishment of Lpg Processing and Bulk Storage Facility Project) (M/S Oilcom (T) Limited) Order*

*GN. No. 374 (Contd)*

|    |                |                              |  |     |     |
|----|----------------|------------------------------|--|-----|-----|
|    | 0.00           |                              |  |     |     |
| 53 | 8481.8<br>0.00 | Pipe Safety Fittings         | Temperature Guages   | NMB | 10  |
| 54 | 8481.8<br>0.00 | Pipe Safety Fittings         | Needle Valves  | NMB | 50  |
| 55 | 7307.9<br>9.00 | LPG Import Pipeline - Liquid | 12" NB (ASA 106 Sch 80, 3LPE Coated)                                       | MT  | 400 |
| 56 | 7307.9<br>9.00 | LPG Import Pipeline - Vapour | 4" NB (ASA 106 Sch 80, 3LPE Coated)  | MT  | 75  |
| 57 | 8481.8<br>0.00 | Ball Valves                  | Marine Grade Ball Valves and Other Instruments for Onshore Jetty Isolation | MT  | 50  |
| 58 | 4009.4<br>2.00 | High Pressure Hoses          | Unloading Hose with High Mast Liquid 12 Inch NB x 25 m Long                | NMB | 2   |
| 59 | 4009.4<br>2.00 | High Pressure Hoses          | Unloading Hose with High Mast Vapour 4 Inch NB x 25 m Long                 | NMB | 2   |
| 60 | 8422.3<br>0.00 | LPG Cylinder Filling Machine | 24 Post - 6 Kg Cylinder Filling Carousel Unit                              | SET | 2   |
| 61 | 8422.3<br>0.00 | LPG Cylinder Filling Machine | 12 Post - 6 Kg Cylinder Filling Carousel Unit                              | SET | 2   |
| 62 | 8422.3<br>0.00 | LPG Cylinder Filling Machine | 12 Post - 15 Kg Cylinder Filling Carousel Unit                             | SET | 2   |
| 63 | 8422.3<br>0.00 | LPG Cylinder Filling Machine | 38 Kg Cylinder Stationery Filling Scales                                   | NMB | 10  |
| 64 | 8422.1<br>9.00 | LPG Cylinder Washing Machine | Inline Cylinder Washing Machine  | NMB | 4   |
| 65 | 8413.7<br>0.00 | LPG Pumps                    | LPG Cylinder Multistage Filling Pumps                                      | NMB | 10  |
| 66 | 8422.4<br>0.00 | Palletting Machine           | LPG Cylinder Palletizing System  | SET | 1   |
| 67 | 8423.8<br>9.90 | Weigh Bridges                | Truck Weighing Bridges   | SET | 8   |
| 68 | 8422.3<br>0.00 | Cylinder Painting            | Semi-Automatic Cylinder Painting Line                                      | NMB | 1   |
| 69 | 8525.6<br>0.00 | Security System (CCTV)       | Security Cameras   | NMB | 50  |
| 70 | 8525.6<br>0.00 | Security System (CCTV)       | DVR for Cameras  | NMB | 5   |

*Value Added Tax (Exemption) (Establishment of Lpg Processing and Bulk Storage Facility Project) (M/S Oilcom (T) Limited) Order*

*GN. No. 374 (Contd)*

| B - BUILDING MATERIALS LIST |            |                                   |   |                 |          |
|-----------------------------|------------|-----------------------------------|---|-----------------|----------|
| No :                        | HS CODE    | ITEM NAME                         | MODEL/SPECIFICATION   | UNIT OF MEASURE | QUANTITY |
| 1                           | 7308.90.99 | Loading Bay Structures            | Prefabricated Steel Structures  | NMB             | 9        |
| 2                           | 9406.90.90 | Fire Pump Shed & Control Room     | Steel Structures  | MT              | 258.8    |
| 3                           | 8537.20.00 | Main Incomer Cable                | Armored Cable XLPE  | MT              | 500      |
| 4                           | 7616.99.00 | Cable Trays                       | Various Sizes Galvanized Cable Trays  | MT              | 50       |
| 5                           | 8544.49.00 | Electrical Cables                 | Fire Resistant Power Cabels (XLPE INSULATED, EXTRUDED PVC ST2 INNERSHEATHED | MT              | 300      |
| 6                           | 8544.49.00 | Electrical Instrumentation Cables | Fire Resistant Instrumentation Cables                                       | MT              | 100      |
| 7                           | 7308.90.99 | Prefabricated Steel               | Structural Steel Profiles   | MT              | 12000    |
|                             |            |                                   |   |                 |          |



*Value Added Tax (Exemption) (Establishment of Lpg Processing and Bulk Storage Facility Project) (M/S Oilcom (T) Limited) Order*

*GN. No. 374 (Contd)*

| C - VEHICLES LIST |            |                                     |                             |                 |          |
|-------------------|------------|-------------------------------------|-----------------------------|-----------------|----------|
| No:               | HS CODE    | ITEM NAME                           | MODEL/SPECIFICATION         | UNIT OF MEASURE | QUANTITY |
| 1                 | 8426.19.00 | Crane for the Tank Erection, 400 MT | Crawler Crane 400MT         | NMB             | 1        |
| 2                 | 8426.19.00 | Crane for the Tank Erection, 80 MT  | Crawler Crane 80MT          | NMB             | 2        |
| 3                 | 8426.19.00 | Crane for the Tank Erection, 20 MT  | Crawler Crane 20MT          | NMB             | 2        |
| 4                 | 8704.21.90 | LPG Cylinder Distribution Trucks    | Canter Trucks               | NMB             | 100      |
| 5                 | 8427.20.00 | Forklifts                           | Fork Lifts 3MT - Operations | NMB             | 5        |

Dodoma,  
7<sup>th</sup> May, 2024.

MWIGULU LAMECK NCHEMBA MADELU  
*Minister for Finance*